

Scope of Supply/Bill of Material & Mounting Drawings



Part Number: R-HM18-01-01-SL / R-HM18-01-02

Part Description: Head Light Guard – Royal Enfield Himalayan LS410


Applicable to Finished colour versions of Black and Silver

Installation / Parts List / Bill of Material for Mounting



NO.	Description	Quantity	Torque * (N-M)	Remarks **
1	Head Light Guard	1		
2	Bracket RH	1		
3	Mounting Pin	4		
4	Grommet	4		
5	Bracket LH	1		
6	Delrin Spacer	4		
7	Washer M5	8		
8	Screw M5 X 25	4	5 - 6	Use Liquid Thread Locker
9	Screw M5 X 10	4	5 - 6	Use Liquid Thread Locker
SRC Design uses Metric System of Measurement and all dimensions in Millimeters				
* Recommended to use the Torque specified in the table				
** Denotes Usage of Liquid Thread Locker in specified Locations				



MOUNTING DRAWINGS



Mounting Instructions





Step 1:

The Head Light Guard uses the Mounting Holes of the Wind Shield Guard in the Motorbike and we start mounting the Bracket RH (2) as shown in the drawing.

Before Mounting the Bracket RH (2) and Bracket LH (5), assemble the Mounting Pin (3) and Screw M5 x 10 (9), Off-line.



Orient the Bracket RH and slide in the Delrin (6) - 2 off, Washer M5 (7) - 2 off, and Screw M5 x 25 (8) - 2 off as shown and secure the threads, but not tighten it fully.






Bracket RH (2) in “As Is Mounted Condition”


Step 2:
Orient the Bracket LH (5) and slide in the Delrin (6) - 2 off, Washer M5 (7) - 2 off, and Screw M5 x 25 (8) – 2 off as shown and secure the threads, but not tighten it fully.






Bracket RH (5) in “As Is Mounted Condition”

View Showing the “As Is Mounted Condition of the Brackets




Step 3:

Orient the Head Light Guard (1) and align it to the Mounting Pin projecting out of the Brackets and Slide in the Grommet (5) – 2 off on each side and held using the Mounting Pins



Head Light Guard in “Final Mounted Condition”





General Instructions

1. We request you to pay attention to the Mounting Instructions in this document and follow the step-by-step procedures.
2. This Mounting Instruction manual is a “Do It Yourself” (DIY) fitment manual of the Accessory part to the Vehicle. We have prepared this based on our experience and knowledge, related to the Vehicle, Part and its functional aspects.
3. SRC cannot guarantee the interchangeability of the parts to any other manufacturer’s accessory part. It is advised to the User, to inspect and ensure the original state of all other Vehicle parts.
4. We request you to bear in mind, that the Installed part can change the driving behaviour and/or the stability during driving or any other dynamic conditions.
5. If you have the appropriate tools and another person to assist you in the mounting, it will help.
6. After Completion of the Mounting and before taking on a First ride, Ensure and Check all functions of the Vehicle. It is always advised to check loosening of the fasteners after the first 50 kilo meters of ride and at regular intervals.
7. To the maximum extent possible, our design use the current Mounting/Fitment of the Original Equipment, so that Installation of these accessories will not affect the Payload or Function of the Vehicle or the Part on which it is mounted to protect it
8. If any additional modifications are to be done, prior to the fitment of the accessories, it will be explicitly specified in the instruction sheets